

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	254	399/149,150.ccls.	USPAT; US-PGP UB
2	BRS	L2	315	399/343,349.ccls.	USPAT; US-PGP UB
3	BRS	L3	299	2 not 1	USPAT; US-PGP UB
4	BRS	L4	253	399/353,354.ccls.	USPAT; US-PGP UB
5	BRS	L5	214	4 not (1 or 2)	USPAT; US-PGP UB
6	BRS	L6	111	399/71.ccls.	USPAT; US-PGP UB
7	BRS	L7	83	6 not (1 or 2 or 4)	USPAT; US-PGP UB
8	BRS	L8	660	399/111.ccls.	USPAT; US-PGP UB
9	BRS	L9	650	8 not (1 or 2 or 4 or 6)	USPAT; US-PGP UB
10	BRS	L10	1728	15/256.5,256.51,256.52,256.53.ccls.	USPAT; US-PGP UB
11	BRS	L11	1603	10 not (1 or 2 or 4 or 6 or 8)	USPAT; US-PGP UB
12	BRS	L12	396	cleanerless	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	107690	(collect\$3 or clean\$3 or remov\$3) with develop\$4	USPAT; US-PGP UB
14	BRS	L14	24067	13 with (toner\$1 or developer\$1)	USPAT; US-PGP UB
15	BRS	L15	5521	(charg\$3 or bias\$3 or equaliz\$5 or regulat\$3) near4 (residual or used or remain\$3) near2 (toner\$1 or developer\$1)	USPAT; US-PGP UB
16	BRS	L16	3051	14 and 15	USPAT; US-PGP UB
17	BRS	L17	963	14 same 15	USPAT; US-PGP UB
18	BRS	L18	760	17 and 399/\$3.ccls.	USPAT; US-PGP UB
19	BRS	L19	518	18 not (1 or 2 or 4 or 6 or 8 or 10)	USPAT; US-PGP UB
20	BRS	L20	2088	16 not 17	USPAT; US-PGP UB
21	BRS	L21	1365	20 and 399/\$3.ccls.	USPAT; US-PGP UB
22	BRS	L22	1142	21 not (1 or 2 or 4 or 6 or 8 or 10 or 18)	USPAT; US-PGP UB
23	BRS	L23	97	22 and reciprocate\$3	USPAT; US-PGP UB
24	BRS	L24	70738	g03g015/00.ipc.	EPO; JPO
25	BRS	L25	32088	g03g021/00.ipc.	EPO; JPO
26	BRS	L26	179	cleanerless	EPO; JPO

	Type	L #	Hits	Search Text	DBs
27	BRS	L27	19651	(collect\$3 or clean\$3 or remov\$3 or recover\$4) with develop\$4	EPO; JPO
28	BRS	L28	8920	27 with (toner\$1 or developer\$1)	EPO; JPO
29	BRS	L29	3660	(charg\$3 or bias\$3 or equaliz\$5 or regulat\$3) with (residual or used or remain\$3) with (toner\$1 or developer\$1)	EPO; JPO
30	BRS	L30	716	28 and 29	EPO; JPO
31	BRS	L31	868	26 or 30	EPO; JPO
32	BRS	L32	107	31 and 24	EPO; JPO
33	BRS	L33	278	31 and 25	EPO; JPO
34	BRS	L34	237	33 not 32	EPO; JPO